

M A T E R I A L S A F E T Y D A T A S H E E T

1128 KEL-SEAL TERPOLYMER 100 WHITE Page: 1

PRODUCT NAME: 1128 KEL-SEAL TERPOLYMER 100 WHITE
 PRODUCT CODE: 1128-100 CM

HMIS CODES: H F R P
 1 0 0

=====**SECTION I - MANUFACTURER IDENTIFICATION**=====

MANUFACTURER'S NAME: Kelly-Moore Paint Company
 ADDRESS: 987 Commercial St.
 San Carlos, CA 94070

EMERGENCY PHONE: 1-800-424-9300
 INFORMATION PHONE: 1-800-874-4436

REVISION DATE: AUGUST 1, 2007
 DATE PRINTED: 9/7/2007
 NAME OF PREPARER: S.HISEROTE

=====**SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION**=====

REPORTABLE COMPONENTS	CAS NUMBER	mm Hg	@ TEMP	VAPOR PRESSURE	WEIGHT PERCENT
* TITANIUM DIOXIDE	13463-67-7				7
PEL(OSHA): 15 mg/m3, total dust, 8 hr. T	NA				
TLV(ACGIH): 10 mg/m3, total dust, 8 hr.	TWA, A4				
* ZINC OXIDE	1314-13-2				1
TRADE SECRET BLEND	NONE ESTABL				1

* Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

=====**SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS**=====

BOILING POINT: N/A
 VAPOR DENSITY: HEAVIER THAN AIR
 COATING V.O.C.: 100 g/l

SOLUBILITY IN WATER: MODERATE IN WATER
 APPEARANCE AND ODOR: MILKY WHITE TO VARIOUS COLORS WITH A FAINT AMMONIA ODOR

SPECIFIC GRAVITY (H2O=1): 1.28
 EVAPORATION RATE: LOWER THAN ETHER
 MATERIAL V.O.C.: 56 g/l

=====**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**=====

FLASH POINT: N/A
 FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: N/A UPPER: N/A
 EXTINGUISHING MEDIA: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG, OTHER
 SPECIAL FIREFIGHTING PROCEDURES:
 FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED TO PROTECT FROM COMBUSTION BY-PRODUCTS. COOL CLOSED CONTAINERS WITH WATER FOG TO PREVENT PRESSURE BUILDUP.
 UNUSUAL FIRE AND EXPLOSION HAZARDS:
 NONE REASONABLY FORESEEABLE.

=====**SECTION V - REACTIVITY DATA**=====

STABILITY: STABLE
 CONDITIONS TO AVOID: NONE REASONABLY FORESEEABLE.
 INCOMPATIBILITY (MATERIALS TO AVOID): NONE REASONABLY FORESEEABLE.
 HAZARDOUS DECOMPOSITION OR BYPRODUCTS: OXIDES OF CARBON.
 HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

=====**SECTION VI - HEALTH HAZARD DATA**=====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
 NOT NORMALLY A HAZARD UNLESS SPRAYED. OVERSPRAY AND SPRAY MISTS ARE PRIMARILY CONSIDERED NUISANCE DUSTS. PIGMENTS ARE NOT NORMALLY CONSIDERED HAZARDOUS WHEN PRESENT IN A PRODUCT MIXTURE.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
 REPEATED OR PROLONGED LIQUID CONTACT MAY CAUSE SKIN IRRITATION WITH DISCOMFORT AND DERMATITIS. MAY CAUSE IRRITATION OR BURNING OF THE EYES.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
 NONE REASONABLY FORESEEABLE.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
 IF INGESTED MAY CAUSE GASTRO-INTESTINAL DISTRESS.

HEALTH HAZARDS (ACUTE AND CHRONIC):
 CONTAINS SOME SOLVENTS. SOME SOLVENTS MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION, CARDIOPULMONARY FAILURE, LIVER AND KIDNEY DAMAGE AND BIRTH DEFECTS. CHRONIC: REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. UNDER NORMAL CONSUMER USE CONDITIONS THE LIKELIHOOD OF ANY ADVERSE HEALTH EFFECTS ARE LOW.

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: Yes OSHA REGULATED: No
 NO INFORMATION FOUND.