

MSDS



gal. gas.
keep
TKS 2003

Manufacturer Info

GasTech, Inc.
8407 Central Avenue
Newark, California 94560-3431
(510) 794-6200
Sales: (510) 745-8700
Fax: (510) 794-6201

Emergency Phone
1-(800) 535-5053

GasTech reference #: 72

Product: Propane (1%) in Air
Calibration gas

Date prepared: 6/11/93

I HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Common Name	CAS #	OSHA PEL	ACGIH TLV	%
Propane (CH ₃ CH ₂ CH ₃)	74986	1,000 ppm	Not Established*	1%
*Propane is a "simple asphyxiant" without other adverse effects.				
Air	25635885	Not Established	Not Established	99%

Regulatory Lists:
For Propane
Carcinogenicity: NO
EHS: NO
CERCLA: NO
SARA 313 Toxic Chemical: NO
TSCA Inventory: YES

II PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: NA	Vapor Pressure (mm Hg): NA
Melting Point: NA	Vapor Density (air = 1): 1
Specific Gravity: NA	Solubility (25 C): Slight
Physical State: Gas	Evaporation Rate: NA
Odor and appearance: Colorless, very slight "natural gas" odor	

III FIRE AND EXPLOSION HAZARD DATA

Flash Point: NA

NFPA 704M rating: 1-0-0

Flammable Limits: Nonflammable mixture

LEL: NA

UEL: NA

Extinguishing Media: Use methods appropriate to surrounding fire.

Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: Compressed gas cylinders may explode in heat of fire. Withdraw immediately in case of rising sound from venting safety device.

IV REACTIVITY DATA

Stability : Stable

Conditions to avoid: None identified

Incompatible materials: None identified

Hazardous Decomposition or Byproducts: Carbon monoxide, Carbon dioxide

Hazardous Polymerization: Will not occur

V HEALTH HAZARD DATA

Routes of Exposure: Inhalation

Target organs: None identified

Effects of Overexposure (acute & chronic):

Acute: None identified

Chronic: None identified

Suggested Emergency & First Aid Procedures:

Respiratory: Provide fresh air or oxygen and consult physician

Medical Conditions Generally Aggravated by Exposure: None identified

VI CONTROL MEASURES

Respiratory Protection: None necessary if adequate ventilation is provided

Ventilation: Recommended

Eye/Skin Protection:

Skin protection not required
Safety glasses recommended

VII PRECAUTIONS FOR STORAGE AND HANDLING

Handling Precautions: Use safe handling practices for the handling of compressed gas cylinders. Do not puncture.

Storage Precautions: Store in a cool, dry area. Use safe storage practices for the storage of compressed gas cylinders.

Exposure to temperatures above 150 degrees F may operate excess-pressure valve.

VIII SPILL & DISPOSAL PROCEDURES

Steps to be taken in case material is released or spilled: Evacuate and ventilate area.

Waste Disposal Method: Empty containers may be discarded as metal refuse, observing federal, state, and local regulations. Do not incinerate.

IX ADDITIONAL INFORMATION

The information in this material safety data sheet meets the requirements of 29 CFR 1910.1200. It is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, hazardous materials handling. The employer is responsible for determining the precautions and dangers of this material for specific applications of the product.

This product has not been tested as a whole by Gas Tech, Inc. Information is provided, at a minimum, on constituents which have been determined to be health hazards, and which comprise 1% or greater of the composition, except that substances identified as carcinogens shall be listed if the concentrations are 0.1% or greater.

This information contained herein is based on the data available to us and is believed to be correct. However, GasTech makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. GasTech assumes no responsibility for illness, injury, or death from the proper or improper use of the product described herein.