





Page 1/10

Revision: September 1, 2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: Super Lube® Synthetic Gear Oil

· Article number: No other identifiers

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Lubricating oil

 1.3 Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier: Synco Chemical Corporation
 24 DaVinci Dr., P.O. Box 405
 Bohemia, NY 11716
 Telephone: 631-567-5300
 Email: info@super-lube.com

### 1.4 Emergency telephone number:

ChemTel


1-800-255-3924 (US/Canada), 1-813-248-0585 (International), 1-300-954-583 (Australia), 0-800-591-6042 (Brazil), 400-120-0751 (China), 000-800-100-4086 (India), 800-099-0731 (Mexico)

### **SECTION 2: Hazards identification**

### · 2.1 Classification of the substance or mixture · Classification according to Regulation (EU) No 2015/830 The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the CLP regulation. · Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · Additional information: There are no other hazards not otherwise classified that have been identified. 0 percent of the mixture consists of component(s) of unknown toxicity · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 This product does not have a classification according to the CLP regulation. The product is not classified as hazardous according to OSHA GHS regulations within the United States. · Hazard pictograms Not Regulated · Signal word Not Regulated

(Contd. on page 2)

Revision: September 1, 2023



· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 1809-19-4	dibutyl phosphonate	≤ 2,5%
EINECS. 217-510-1	Skin Irrit. 2, H315; Eye Irrit. 2, H319 Aquatic Chronic 3, H412	
CAS: 80939-62-4	Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates	$\leq 2\%$
EINECS: 279-632-6	<ul> <li>Aquatic Chronic 2, H411</li> <li>Skin Irrit. 2, H315; Eye Irrit. 2, H319</li> </ul>	

#### • Additional information:

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret.

(Contd. on page 3)

Revision: September 1, 2023

### Trade name: Super Lube® Synthetic Gear Oil (Contd. of page 2) For the wording of the listed risk phrases refer to section 16. SECTION 4: First aid measures • 4.1 Description of first aid measures · General information: Take affected persons out into the fresh air. · After inhalation: Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. In case of unconsciousness place patient stably in side position for transportation. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation is experienced, consult a doctor. · After eye contact: Remove contact lenses if worn, if possible. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. A person vomiting while laying on their back should be turned onto their side. 4.2 Most important symptoms and effects, both acute and delaved Headache Breathing difficulty Coughing Gastric or intestinal disorders when indested. Nausea in case of ingestion. · Hazards Danger of impaired breathing. • 4.3 Indication of any immediate medical attention and special treatment needed Later observation for pneumonia and pulmonary oedema. If necessary oxygen respiration treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media • Suitable extinguishing agents: Foam Water haze or fog Carbon dioxide Gaseous extinguishing agents Fire-extinguishing powder · For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

### • Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 4)

Revision: September 1, 2023

#### Trade name: Super Lube® Synthetic Gear Oil

### · Additional information

Eliminate all ignition sources if safe to do so. Cool endangered receptacles with water fog or haze.

### **SECTION 6: Accidental release measures**

<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>Ensure adequate ventilation</li> <li>For large spills, wear protective clothing.</li> </ul>
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
Particular danger of slipping on leaked/spilled product.
6.2 Environmental precautions:
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
Prevent from spreading (e.g. by damming-in or oil barriers).
Do not allow to penetrate the ground/soil.
• 6.3 Methods and material for containment and cleaning up:
Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).
Remove from the water surface (e.g. skim or suck off).
Dispose contaminated material as waste according to item 13.
Send for recovery or disposal in suitable receptacles.
· 6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

#### Information about fire - and explosion protection:

Keep respiratory protective device available. No special measures required.

#### • 7.2 Conditions for safe storage, including any incompatibilities • Storage:

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame. Provide ventilation for receptacles.

Information about storage in one common storage facility:

Store away from oxidising agents.

· Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 5)

(Contd. of page 3)

Revision: September 1, 2023

#### Trade name: Super Lube® Synthetic Gear Oil

• 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. For large spills, respiratory protection may be advisable.

#### · Protection of hands:



Protective gloves

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • **Material of gloves** Rubber gloves

Eye protection:



Safety glasses

Body protection:

Not required under normal conditions of use. Protection may be required for spills.

· Limitation and supervision of exposure into the environment Avoid release to the environment.

· Risk management measures See Section 7 for additional information.

(Contd. on page 6)

(Contd. of page 4)

Revision: September 1, 2023

### Trade name: Super Lube® Synthetic Gear Oil

(Contd. of page 5)

9.1 Information on basic physical and chemical properties General Information			
Appearance: Form: Colour: Odour: Odour threshold:	Liquid Translucent amber Mild Not determined.		
pH-value:	Not determined.		
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not Determined. Undetermined.		
Flash point:	232 °C (450 °F)		
Flammability (solid, gaseous):	Not applicable.		
Auto/Self-ignition temperature:	Not determined.		
Decomposition temperature:	Not determined.		
Self-igniting:	Product is not self-igniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits: Lower: Upper:	Not determined. Not determined.		
Vapour pressure:	Not determined.		
Density: Relative density Vapour density Evaporation rate	0.845 Not determined. Not determined. Not determined.		
Solubility in / Miscibility with water:	Not miscible or difficult to mix.		
Partition coefficient (n-octanol/wat	er): Not determined.		
Solvent content: VOC (California)	<1%		
Viscosity: Dynamic at 40 °C (104 °F): Kinematic: 9.2 Other information	150-680 cSt Not determined. No further relevant information available.		

Revision: September 1, 2023

#### Trade name: Super Lube® Synthetic Gear Oil

(Contd. of page 6)

### **SECTION 10: Stability and reactivity**

#### · 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

10.4 Conditions to avoid Store away from oxidising agents.

• 10.5 Incompatible materials: Oxidizing agents

• 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification: None.

· Primary irritant effect:

• on the skin: Slight irritant effect on skin and mucous membranes.

• on the eye: Slight irritant effect on eyes.

Sensitisation: No sensitising effects known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

• **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure. • **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):** None.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: The product contains materials that are harmful to the environment.

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

· Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

· Additional ecological information:

#### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Contd. on page 8)

Revision: September 1, 2023

#### Trade name: Super Lube® Synthetic Gear Oil

· 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

<ul> <li>14.1 UN-Number</li> <li>DOT, ADR, ADN, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> </ul>	Not Regulated
<ul> <li>DOT, ADR, ADN, IMDG, IATA</li> <li>14.3 Transport hazard class(es)</li> </ul>	Not Regulated
· DOT, ADR, ADN, IMDG, IATA	
· Class · 14.4 Packing group	Not Regulated
· DOT, ADR, IMDG, IATA	Not Regulated
14.5 Environmental hazards:	Ū
· Marine pollutant:	No
<sup>14.6</sup> Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Contd. on page 9)

(Contd. of page 7)

# Safety Data Sheet according to (EU) 2015 / 830 and OSHA GHS

Revision: September 1, 2023

_	(Contd. of p
	SCA (Toxic Substances Control Act):
	All ingredients are listed.
	Proposition 65 (California):
	Chemicals known to cause cancer: None of the ingredients is listed.
	Chemicals known to cause reproductive toxicity for females:
_	None of the ingredients are listed.
	Chemicals known to cause reproductive toxicity for males:
Ν	lone of the ingredients are listed.
	Chemicals known to cause developmental toxicity:
	Ione of the ingredients are listed.
	Carcinogenic Categories
	PA (Environmental Protection Agency)
Ν	Ione of the ingredients are listed.
L	ARC (International Agency for Research on Cancer)
Ν	lone of the ingredients are listed.
T	LV (Threshold Limit Value established by ACGIH)
Ν	lone of the ingredients are listed.
N	NOSH-Ca (National Institute for Occupational Safety and Health)
Ν	None of the ingredients are listed.
C	Canada
C	Canadian Domestic Substances List (DSL)
A	All ingredients are listed.
C	Canadian Ingredient Disclosure list (limit 0.1%)
Ν	None of the ingredients are listed.
C	Canadian Ingredient Disclosure list (limit 1%)
1	809-19-4 dibutyl phosphonate
T	<b>Other regulations, limitations and prohibitive regulations</b> This product has been classified in accordance with hazard criteria of the Controlled Products Regula and the SDS contains all the information required by the Controlled Products Regulations.
S	Substances of very high concern (SVHC) according to REACH, Article 57
Ν	None of the ingredients are listed.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

Revision: September 1, 2023

Frade name: Super Lube® Synthetic Gear Oil		
(Contd. of page 9)		
· Relevant phrases		
H304 May be fatal if swallowed and enters airways.		
H315 Causes skin irritation.		
H319 Causes serious eye irritation.		
H411 Toxic to aquatic life with long lasting effects.		
H412 Harmful to aquatic life with long lasting effects.		
<ul> <li>Abbreviations and acronyms:</li> <li>ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>DOT: US Department of Transportation</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>ACGIH: American Conference of Governmental Industrial Hygienists</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European Inventory of Existing Commercial Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>NFPA: National Fire Protection Association (USA)</li> <li>HMIS: Hazardous Materials Identification System (USA)</li> <li>WHMIS: Workplace Hazardous Materials Information System (Canada)</li> <li>DNEL: Derived No-Effect Level (REACH)</li> <li>PNEC: Predicted No-Effect Concentration (REACH)</li> <li>LCS0: Lethal concentration, 50 percent</li> <li>LS61. Intri. 2: Skin corrosion/Irritation, Hazard Category 2</li> <li>Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2</li> <li>Asp. Tox. 1: Aspiration hazard, Hazard Category 1</li> <li>Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 3</li> </ul>		
Sources		
SDS Prepared by:		
ChemTel Inc. 1205 North Florida Avenue		
1305 North Florida Avenue		
Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573		
Website: www.chemtelinc.com		