

Version 1.11

Revision Date: 01/20/2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name
Recommended use of the chemi
Recommended use
Restrictions on use

Product name :	CAUSTIC SODA 25%			
Recommended use of the chemical and restrictions on use				
	Reserved for industrial and professional use. None known.			
Manufacturer or supplier's details				
Company	Univar Solutions USA			
Address	3075 Highland Pkwy Suite 200			
	Downers Grove, IL 60515			
	United States of America (USA)			
Emergency telephone number				
Transport North America: CHEM	TREC (1-800-424-9300)			
CHEMTREC INTERNATIONAL Tel # 703-527-3887				
Additional Information:	Responsible Party: Product Compliance Department E-mail: SDSNA@univarsolutions.com			

SDS Requests: 1-855-429-2661 Website: www.univarsolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Corrosive to metals	: Category 1
Acute toxicity (Oral)	: Category 4
Skin corrosion	: Category 1A
Serious eye damage	: Category 1
Specific target organ toxicity - single exposure	: Category 3 (Respiratory system)
GHS label elements Hazard pictograms	
Signal word	: Danger
Hazard statements	 H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.
Precautionary statements	 Prevention: P234 Keep only in original container. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.



_

Safety Data Sheet CAUSTIC SODA 25%

rsion 1.11	Revision Date: 01/20/2025
	P271 Use only outdoors or in a well-ventilated area.
	P280 Wear protective gloves/ protective clothing/ eve protection/
	face protection.
	Response:
	P301 + P312 + P330 IF SWALLOWED: Call a POISON
	CENTER/ doctor if you feel unwell. Rinse mouth.
	P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT
	induce vomiting.
	P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately
	all contaminated clothing. Rinse skin with water/ shower.
	P304 + P340 + P310 IF INHALED: Remove person to fresh air
	and keep comfortable for breathing. Immediately call a POISON
	CENTER/ doctor.
	P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with
	water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing. Immediately call a POISON
	CENTER/ doctor.
	P363 Wash contaminated clothing before reuse.
	P390 Absorb spillage to prevent material damage.
	Storage:
	P403 + P233 Store in a well-ventilated place. Keep container
	tightly closed.
	P405 Store locked up.
	P406 Store in corrosive resistant container with a resistant inner
	liner.
	Disposal:
	P501 Dispose of contents/ container to an approved waste dis-
	posal plant.

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent
1310-73-2	Sodium hydroxide	20 - 30

Actual concentration is withheld as a trade secret Any Concentration shown as a range is due to batch variation.

Synonyms

: Sodium Hydroxide,

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.



Version 1.11	Revision Date: 01/20/2025	
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty. If on skin, rinse well with water. If on clothes, remove clothes. 	
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 	
If swallowed	 Take victim immediately to hospital. Keep respiratory tract clear. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. 	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	: Use personal protective equipment.	
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. 	
Methods and materials for	: Neutralise with acid.	



Safety Data Sheet CAUSTIC SODA 25%

Version 1.11	Revision Date: 01/20/2025
containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
SECTION 7. HANDLING AND STOR	AGE
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.
Advice on safe handling :	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage :	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Recommended storage tem- : perature	> 10 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
1310-73-2	Sodium hydroxide	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	CAL PEL

Personal protective equipment

R	espiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are un- known, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respi- rator if there is any potential for uncontrolled release, expo- sure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
lond	protoction		

Hand protection



ersion 1.11	Revision Date: 01/20/2025
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	 İmpervious clothing Choose body protection according to the amount and concen- tration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour	: liquid : colourless	
Odour Odour Threshold pH	: odourless : No data available : 14 @ 20 - 25 °C (68 - 77 °F)	
Freezing Point (Freezing Point) Boiling Point Flash point	 -18 °C (-0.40 °F) No data available 94 °C (201 °F) No data available 	
Evaporation rate Flammability (solid, gas) Upper explosion limit	No data availableNo data availableNo data available	
Lower explosion limit	: No data available	
Vapour pressure Relative vapour density Relative density	 No data available No data available 1.27 - 1.28 @ 20 - 25 °C (68 - 77 ° Reference substance: (water = 1) 	°F)
Density Water solubility Solubility in other solvents Partition coefficient: n- octanol/water Auto-ignition temperature Thermal decomposition	 No data available 	

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of normal use.



sion 1.11	Revision Date: 01/20/2025
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Acids Halogenated compounds Metals organic nitro compounds Zinc

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Product: Acute oral toxicity	: Acute toxicity estimate: 1,961 mg/kg
Skin corrosion/irritation	
<u>Product:</u> Result: Causes burns.	
Components: 1310-73-2: Species: Rabbit Result: Causes severe burns.	
Serious eye damage/eye irri	tation
<u>Components:</u> 1310-73-2: Species: Rabbit Result: Risk of serious damag	je to eyes.
Carcinogenicity	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



Version 1.11

Revision Date: 01/20/2025

STOT - single exposure

Product:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:	
1310-73-2: Toxicity to fish :	LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l
	Exposure time: 96 h
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Ceriodaphnia dubia): 40.38 mg/l Exposure time: 48 h Test Type: Immobilization
Persistence and degradability	
No data available	
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
Product:	
Ozone-Depletion Potential :	Regulation: 40 CFR Protection of Environment; Part 82 Pro- tection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufac-
	tured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological infor- : mation	No data available



Version 1.11

Revision Date: 01/20/2025

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni- var Solutions ChemCare: 1-800-637-7922
	Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

UN1824, Sodium hydroxide solution, 8, II

IATA (International Air Transport Association):

UN1824, Sodium hydroxide solution, 8, II

IMDG (International Maritime Dangerous Goods):

UN1824, SODIUM HYDROXIDE SOLUTION, 8, II, Flash Point:94 °C(201 °F)

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium hydroxide	1310-73-2	1000	3921

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to metals

Skin corrosion or irritation Serious eye damage or eye irritation Acute toxicity (any route of exposure) Specific target organ toxicity (single or repeated exposure)



Version 1.11	Revision Date: 01/20/2025
SARA 302	: This material does not contain any components with a section 302 EHS TPQ.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A: 1310-73-2 Sodium hydroxide

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3: 1310-73-2 Sodium hydroxide

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know


	. J		
	1310-73-2		Sodium hydroxide
Pennsylvania I	Right To Know	/	
	7732-18-5		Water
	1310-73-2		Sodium hydroxide
California Prop	o 65	:	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other re- productive harm.
The componer	nts of this proc	duc	are reported in the following inventories:
TSCA		:	On TSCA Inventory
DSL		:	All components of this product are on the Canadian DSL
AICS		:	Not in compliance with the inventory
NZIoC		:	Not in compliance with the inventory
ENCS		:	On the inventory, or in compliance with the inventory
KECI		:	On the inventory, or in compliance with the inventory
PICCS		:	On the inventory, or in compliance with the inventory
IECSC		:	On the inventory, or in compliance with the inventory



Version 1.11

Revision Date: 01/20/2025

SECTION16. OTHER INFORMATION



The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 01/20/2025

Material number:

16221451, 16221450, 16221449, 16221448, 16221447, 16221446, 16217001, 16214886, 16214622, 16214617, 16214616, 16214613, 16215333, 16212546, 16212036, 16209256, 16197210, 16206616, 16206171, 16181533, 16192173, 16192016, 16132255, 16158399, 16146684, 16182270, 16148128, 16162026, 16188797, 16145004, 16188640, 16163721, 16162553, 16147855, 16151729, 16147016, 16002081, 16002153, 16163814, 16181444, 16185708, 16185366, 16178437, 16176600, 16176259, 16175654, 16175444, 16175415, 16174721, 16176744, 16170086, 16169860, 16169683, 16146335, 16146334, 16143884, 16145401, 16145323, 16145278, 16145243, 16145242, 16125921, 16116103, 16113730, 755848, 650799, 546389, 70561, 53072, 574261, 53570, 16150734, 16149350, 16149457, 16144981, 16145777, 16147137, 16163653, 102698, 16160832, 16137556, 16137474, 16137324, 16152197, 16152426, 16144481, 16147885, 16159715, 16143521, 16160487, 16160771, 16160572, 16160486, 16147888, 16147884, 16147854, 16147799, 16148872, 16144724, 16144461

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of Govern- ment Industrial Hygienists	LD50	Lethal Dose 50%		
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level		
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency		
NDSL	Canada, Non-Domestic Substanc- es List	NIOSH	National Institute for Occupational Safety & Health		



Version 1.11

Revision Date: 01/20/2025

CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIOC	New Zealand Inventory of Chemi- cals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenar- io Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chem- icals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commer- cial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composi- tion, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		